

GUIDE TO AUTHORS

Aims and Scope:

The Malaysian Construction Research Journal (MCRJ) is the journal dedicated to the documentation of R&D achievements and technological development relevant to the construction industry within Malaysia and elsewhere in the world. It is a collation of research papers and other academic publications produced by researchers, practitioners, industrialists, academicians, and all those involved in the construction industry. The papers cover a wide spectrum encompassing building technology, materials science, information technology, environment, quality, economics and many relevant disciplines that can contribute to the enhancement of knowledge in the construction field. The MCRJ aspire to become the premier communication media amongst knowledge professionals in the construction industry and shall hopefully, breach the knowledge gap currently prevalent between and amongst the knowledge producers and the construction practitioners.

Articles submitted will be reviewed and accepted on the understanding that they have not been published elsewhere. The authors have to fill the **Declaration of the Authors** form and return the form via fax/email to the secretariat. The length of articles should be **between 3,500 and 8,000 words or approximately 8 – 15 printed pages (final version)**. **The similarity index must be lower than 20% and the Similarity Report must be submitted together with the manuscript.**

Authors can submit the manuscript:

- By e-mail in Microsoft-Word format to MCRJ Secretariat (mcrj@cream.my)

Malaysian Construction Research Journal (MCRJ)
Construction Research Institute of Malaysia (CREAM)
Level 14, CIDB 520, The MET Corporate Towers,
No. 20, Jalan Dutamas 2,
50350 Kuala Lumpur,
MALAYSIA.

Tel. : (6)03 – 2779 1479

: (6)03 – 2779 1474

Website : www.cream.my

Language: Follow the spelling of the Oxford English Dictionary.

Size/Page Setup: Executive (18.42 cm x 26.67 cm)

Margin: Top - 3cm, Bottom, Left and Right – 2.01cm

Paper title: Arial, 16.

CODIFICATION AND APPLICATION OF SEMI-LOOF ELEMENTS FOR COMPLEX STRUCTURES

(FULL NAME) Ahmad Abd Rahman¹, Maria Diyana Musa² and Sumiana Yusoff²

¹*Department of Quantity Surveying, Faculty of Architecture, Planning and Surveying, Universiti Teknologi MARA, Sarawak, Malaysia*

²*Institute of Ocean and Earth Sciences (IOES), University of Malaya, Malaysia*

Abstract (Arial Bold, 9pt)

Damage assessment (Arial, 9pt. Left and right indent 0.64 cm, it should be single paragraph of about 100 – 250 words)

Keywords: (Arial Bold, 9pt) *Finite Element Analysis; Modal Analysis; Mode Shape; Natural Frequency; Plate Structure (Time New Roman, 9pt)*

HEADING 1 (Arial Bold + Upper Case, 11pt)

Heading 2 (Arial Bold + Lower Case, 11pt)

Heading 3 (Arial Italic + Lower Case, 11pt)

Body Text: Times New Roman, 11 pt. All paragraphs must be differentiated by 0.64 cm tab.

Figures: Figures should be in box with line width 0.5pt. All illustrations and photographs must be numbered consecutively as it appears in the text and accompanied with appropriate captions below them.

Figures caption: Arial Bold + Arial, 9pt. + Capitalize Each Word, should be written below the figures.




Figure 8. Computed Attic Temperature with Sealed and Ventilated Attic

Tables: Arial, 8pt. Table should be incorporated in the text.

Table caption: Arial Bold + Arial, 9pt. + Capitalize Each Word. Captions should be written above the table.

Table Line: 0.5pt.

Table 1. Recommended/Acceptable Physical Water Quality Criteria

Parameter	Raw Water Quality	Drinking Water Quality
Total coliform (MPN/100ml)	500	0
Turbidity (NTU)	1000	5
Color (Hazen)	300	15
pH	5.5-9.0	6.5-9.0

(Source: Twort et al., 1985; MWA,1994)

Units: All units and abbreviations of dimensions should conform to **SI standards**.

Citation:

Passage Type	First reference in text	Next reference in text	Bracket format, first reference in text	Bracket format, next reference marker in text
One author	Walker (2007)	(Walker, 2007)	(Walker, 2007)	(Walker, 2007)
Two authors	Walker and Allen (2004)	Walker and Allen (2004)	(Walker & Allen, 2004)	(Walker & Allen, 2004)
Three authors	Bradley, Ramirez, and Soo (1999)	Bradley et al. (1999)	(Bradley, Ramirez, & Soo, 1999)	(Bradley et al., 1999)
Four authors	Bradley, Ramirez, Soo, and Walsh (2006)	Bradley et al. (2006)	(Bradley, Ramirez, Soo, & Walsh, 2006)	(Bradley et al., 2006)
Five authors	Walker, Allen, Bradley, Ramirez, and Soo (2008)	Walker et al. (2008)	(Walker, Allen, Bradley, Ramirez, & Soo, 2008)	(Walker et al., 2008)
Six or more authors	Wasserstein et al (2005)	Wasserstein et al. (2005)	(Wasserstein et al., 2005)	(Wasserstein et al., 2005)
Organisation (easily identified by the initials) as the author	Sultan Idris Education University (UPSI, 2013)	UPSI (2013)	(Sultan Idris Education University [UPSI], 2013)	(UPSI, 2013)
Organisation (No abbreviation) as the author	Pittsburgh University (2005)	Pittsburgh University (2005)	(Pittsburgh University, 2005)	(Pittsburgh University, 2005)

(Source: UPSI, 2019)

Reference: Times New Roman, 11pt. Left indent 0.64 cm, first line left indent – 0.64 cm.

References should be listed in **alphabetical order**, on separate sheets from the text. In the list of references, the titles of periodicals should be given in full, while for books should state the title, place of publication, name of publisher, and indication of edition.

Johan, R. (1999) Fire Management Plan for The Peat Swamp Forest Reserve of North Selangor and Pahang. In Chin T.Y. and Havmoller, P. (eds) Sustainable Management of Peat Swamp Forests in Peninsular Malaysia Vol II: Impacts. Kuala Lumpur: Forestry Department Malaysia, 81-147.

Siti Hawa, H., Yong, C. B. and Wan Hamidon W. B. (2004) Butt Joint in Dry Board as Crack Arrester. Proceeding of 22nd Conference of ASEAN Federation of Engineering Organisation (CAFEO 22). Myanmar, 55-64.

Skumatz, L. A. (1993) Variable Rate for Municipal Solid Waste: Implementation, Experience, Economics and Legislation. Los Angeles: Reason Foundation, 157 pp.

Sze, K. Y. (1994) Simple Semi-Loof Element for Analysing Folded-Plate Structures. Journal of Engineering Mechanics, 120(1):120-134.

Wong, A. H. H. (1993) Susceptibility to Soft Rot Decay in Copper-Chrome-Arsenic Treated and Untreated Malaysian Hardwoods. Ph.D. Thesis, University of Oxford. 341 pp.

Publication	References Formatting
Journal	Sze, K. Y. (1994) Simple Semi-Loof Element for Analysing Folded-Plate Structures. Journal of Engineering Mechanics, 120(1):120-134.
Books	Skumatz, L. A. (1993) Variable Rate for Municipal Solid Waste: Implementation, Experience, Economics and Legislation. Los Angeles: Reason Foundation, 157 pp.
Thesis	Wong, A. H. H. (1993) Susceptibility to Soft Rot Decay in Copper-Chrome-Arsenic Treated and Untreated Malaysian Hardwoods. Ph.D. Thesis, University of Oxford. 341 pp.
Chapter in book	Johan, R. (1999) Fire Management Plan for The Peat Swamp Forest Reserve of North Selangor and Pahang. In Chin T.Y. and Havmoller, P. (eds) Sustainable Management of Peat Swamp Forests in Peninsular Malaysia Vol II: Impacts. Kuala Lumpur: Forestry Department Malaysia, 81-147.
Proceedings	Siti Hawa, H., Yong, C. B. and Wan Hamidon W. B. (2004) Butt Joint in Dry Board as Crack Arrester. Proceeding of 22nd Conference of ASEAN Federation of Engineering Organisation (CAFEO 22). Myanmar, 55-64.